

VISTA



SOUND
INSULATION



MANUAL



THIN



GLASS





FLOOR GUIDED
OPERABLE WALL
PIVOTING WALL
SLIDING DOOR



PCTS HEADQUARTERS, PORTUGAL - VISTA



EDMUND HOUSE, UNITED KINGDOM - VISTA



OFFICE SOLUTIONS, PORTUGAL - VISTA




RESIDENTIAL SOLUTION, PORTUGAL - VISTA



OFFICE SOLUTION, PORTUGAL - VISTA

FLOOR GUIDED



CENTRE FOLDING





SIDE STACKING




Continuous Wall, interconnected by hidden hinges, with it's weight suspended and guided by the floor track.

OPERABLE WALL




Suspended independent twin suspension, without floor track. Manual floor lock/latch system.

PIVOTING WALL




Single suspension independent panels, without floor tracks. Manual floor lock/latch system.

SLIDING DOOR




Sliding door with light and thin structure. Great solution for small spaces.


SUSPENSIONS




CONCRETE




BENT PLATE




LONGITUDINAL



STEEL BEAM WITH 3 PLATES



DIRECT



STEEL BEAM WITH CLAMPS

FINISHES

Lacquering




RAL 9005 - JET BLACK
Textured

Special Lacquering



NATURAL NEBRASKA OAK



NATURAL DIJON WALNUT

Glass



8 or 10 mm

Note: Other panel finishes and, profiles and glass painting upon request.

TECHNICAL DATA TABLE

		FLOOR GUIDED		OPERABLE WALL		SLIDING DOOR		PIVOTING WALL	
Dimensions	Thickness in mm	35		35		35		35	
	Width in mm	500 - 900		500 - 900		500 - 900		500 - 900	
	Height in mm (Max.)	3000		3000		3000		3000	
Construction	Aluminium Profiles	●		●		●		●	
	Positive & Negative Aluminium Profiles								
Operation	Manual	●		●		●		●	
	Semi Automatic								
	Full Automatic								
Floor Track		●							
Technical Features	Soundproofing to ISO 10140-2:2010	Rw (dB)	Density (kg/m ²) 8mm	Rw (dB)	Density (kg/m ²) 8mm	Rw (dB)	Density (kg/m ²) 8mm	Rw (dB)	Density (kg/m ²) 8mm
		35	25	35	25	35	25	35	25
Door Handles	Enclosed Handle	●		●		●		●	
	Pull Handle	●		●		●		●	
	Extra Handle	●		●		●		●	
Finishes	Lacquering	●		●		●		●	
	HPL								
	MFC								
	MDF								
	Glass	8 or 10 mm		8 or 10 mm		8 or 10 mm		8 or 10 mm	
Special Finishes		●		●		●		●	
Electrically Controlled Blinds									
Switchable Glass									
Frosted Glass		●		●		●		●	





**CREATING SPACE
WITHIN SPACE**
