

VISTA



SOUND
INSULATION



MANUAL



THIN



GLASS



FLOOR GUIDED
OPERABLE WALL
PIVOTING WALL
SLIDING DOOR



PCTS HEADQUARTERS, PORTUGAL - VISTA



EDMUND HOUSE, UNITED KINGDOM - VISTA



OFFICE SOLUTIONS, PORTUGAL - VISTA




RESIDENTIAL SOLUTION, PORTUGAL - VISTA




OFFICE SOLUTION, PORTUGAL - VISTA

FLOOR GUIDED



CENTRE FOLDING





SIDE STACKING




Continuous Wall, interconnected by hidden hinges, with its weight suspended and guided by the floor track.

OPERABLE WALL




Suspended independent twin suspension, without floor track. Manual floor lock/latch system.

PIVOTING WALL




Single suspension independent panels, without floor tracks. Manual floor lock/latch system.

SLIDING DOOR




Sliding door with light and thin structure. Great solution for small spaces.


SUSPENSIONS




CONCRETE




STEEL BEAM WITH 3 PLATES




BENT PLATE



DIRECT



LONGITUDINAL



STEEL BEAM WITH CLAMPS


FINISHES

Lacquering



RAL 9005 - JET BLACK
Textured

Special
Lacquering



NATURAL NEBRASKA OAK



NATURAL DIJON WALNUT

Glass



8 or 10 mm

Note: Other panel finishes and, profiles and glass painting upon request.

TECHNICAL DATA TABLE

		FLOOR GUIDED	OPERABLE WALL	SLIDING DOOR	PIVOTING WALL				
Dimensions	Thickness in mm	35	35	35	35				
	Width in mm	500 - 900	500 - 900	500 - 900	500 - 900				
	Height in mm (Max.)	3000	3000	3000	3000				
Construction	Aluminium Profiles	●	●	●	●				
	Positive & Negative Aluminium Profiles								
Operation	Manual	●	●	●	●				
	Semi Automatic								
	Full Automatic								
Floor Track		●							
Technical Features	Soundproofing to ISO 10140-2:2010	Rw (dB)	Density (kg/m ²) 8mm	Rw (dB)	Density (kg/m ²) 8mm	Rw (dB)	Density (kg/m ²) 8mm	Rw (dB)	Density (kg/m ²) 8mm
		35	25	35	25	35	25	35	25
Door Handles	Enclosed Handle	●	●	●	●				
	Pull Handle	●	●	●	●				
	Extra Handle	●	●	●	●				
Finishes	Lacquering	●	●	●	●				
	HPL								
	MFC								
	MDF								
	Glass	8 or 10 mm	8 or 10 mm	8 or 10 mm	8 or 10 mm				
	Special Finishes	●	●	●	●				
Electrically Controlled Blinds									
Switchable Glass									
Frosted Glass		●	●	●	●				





**CREATING SPACE
WITHIN SPACE**
